WEST Refine Search Page 1 of 5

Refine Search

Search Results -

| Terms Documen | |
|---------------|----|
| L117 and L125 | 22 |

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

| 126 | |
|-----|--|
| | |
| | |
| | |

Refine Search

Recall Text 🗢

Clear

Interrupt

Search History

DATE: Friday, November 23, 2007 Purge Queries Printable Copy Create Case

| Set Name side by side | Query | <u>Hit</u> Count | Set Name result set |
|--------------------------------|--|---------------------|---------------------------|
| DB=I | PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR | | |
| <u>L126</u> | L117 and L125 | 22 | <u>L126</u> |
| <u>L125</u> | (layer\$3 or hierarch\$3) near driver same (((common or standardiz\$5) near format) or conver\$3 or translat\$3) | 166 | <u>L125</u> |
| <u>L124</u> | device near (handler or id or identif\$6) same ((common or standardiz\$5) near format) | 23 | <u>L124</u> |
| <u>L123</u> | (719/321 719/322 719/323 719/324 719/325 719/326 719/327 719/328).ccls. and L121 | 5 | <u>L123</u> |
| <u>L122</u> | driver near initializ\$3 and L121 | 0 | <u>L122</u> |
| <u>L121</u> | device adj control adj block | 457 | <u>L121</u> |
| DB=T | TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR | | |
| <u>L120</u> | LEE-HYONG-KYUN! | 2 | <u>L120</u> |
| DB=B | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR | | |
| <u>L119</u> | L73 and L118 | 21 | <u>L119</u> |

| T 110 | L108 and L117 | 140 | T 110 |
|--|--|-------|---------------------|
| | L113 or L114 or L115 or L116 | | <u>L118</u> L117 |
| <u>L117</u> L116 | (719/328).ccls. | | L117 |
| | | 4870 | L115 |
| <u>L115</u> <u>L114</u> | (713/1 713/2 713/100).ccls. (710/3 710/4 710/5 710/6 710/7 710/8 710/9 710/10).ccls. | | L113 |
| L113 | (719/321 719/322 719/323 719/324 719/325 719/326 719/327).ccls. | 1098 | L114 |
| L113 L112 | L110 and L108 | | L113 |
| | L106 and L110 | | L111 |
| L110 | handle near (device or instrument) | 30794 | |
| L109 | L106 and L108 | 0 | L109 |
| <u>L109</u> L108 | chang\$3 near driver | | L109 |
| L108 | driver near intializ\$4 and L106 | 0104 | L103 |
| <u>L107</u> L106 | | 161 | L107 |
| L105 | vary\$3 near pointer vary\$3 near pointer with driver | 0 | L105 |
| | • | | L103 |
| L104 | chang\$3 near (first or second) near driver | | |
| L103 | vary\$3 near address with pointer | 21 | <u>L103</u> L102 |
| L102 | pointer with driver near chang\$3 initializ\$4 near device and L100 | 60 | |
| L101 | | | L101 |
| L100 | unsigned near integer and driver | | L100 |
| <u>L99</u> | unsigned near integer with driver | 1 | <u>L99</u> |
| <u>L98</u> | unsigned near integer with ((device or handler) near (id or identifier)) | 7 | <u>L98</u> |
| | USPT; PLUR=YES; OP=OR | 1 | 1.07 |
| <u>L97</u> | US-5909592-A.did. | 1 | <u>L97</u> |
| <u>L96</u> | US-5909592-A.did. | 1 | <u>L96</u> |
| DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR | | | |
| <u>L95</u> | (application or program or system) near (call or request or commands) with ((device or handler) near (id or identifier)) | 86 | <u>L95</u> |
| <u>L94</u> | (device near initializ\$5) with ((device or handler) near (id or identifier)) | 66 | <u>L94</u> |
| <u>L93</u> | L90 and L92 | 43 | <u>L93</u> |
| <u>L92</u> | (device or handler) near (identifier or id) | 24579 | <u>L92</u> |
| <u>L91</u> | device near handler near (identifier or id) | 2 | <u>L91</u> |
| <u>L90</u> | ((translat\$3 or conver\$5) near commands) with driver | 728 | <u>L90</u> |
| <u>L89</u> | @pd<20020808 and L88 | 143 | <u>L89</u> |
| <u>L88</u> | ((translat\$3 or conver\$5) near (calls or request)) with driver | 359 | <u>L88</u> |
| <u>L87</u> | access\$3 near indirect\$3 with driver | 11 | <u>L87</u> |
| <u>L86</u> | (call or request) with indirect\$3 near driver | 2 | <u>L86</u> |
| <u>L85</u> | @pd<20020808 and L77 | 21 | <u>L85</u> |
| <u>L84</u> | @pd<20020808 and L83 | 1 | <u>L84</u> |
| <u>L83</u> | control near command and L82 | 11 | <u>L83</u> |
| <u>L82</u> | indirect\$3 near driver | 130 | <u>L82</u> |
| <u>L81</u> | calls near indirect\$3 with driver | 10 | <u>L81</u> |
| DB = 0 | USPT; PLUR=YES; OP=OR | | |

| <u>L80</u> | '5680620'.pn. | 1 | L80 |
|------------|--|-------|------------|
| <u>L79</u> | '5784615'.pn. | 1 | L79 |
| L78 | '5874960'.pn. | 1 | L78 |
| | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR | _ | |
| L77 | generic near interface with driver | 95 | L77 |
| L76 | L73 and L75 | 156 | L76 |
| L75 | ((conver\$4 or translat\$3) near (request or command or call)) | 27223 | L75 |
| L74 | L72 and L73 | 11 | L74 |
| <u>L73</u> | ((abstract\$3 or transparen\$2 or dll or librar\$3 or generic\$4 or api) near driver) | 2118 | <u>L73</u> |
| <u>L72</u> | ((conver\$4 or translat\$3) near application near (request or command or call)) | 278. | <u>L72</u> |
| <u>L71</u> | (driver or device) near initializ\$4 and L70 | 7 | <u>L71</u> |
| <u>L70</u> | level near (1 or 2) with initializ\$4 | 259 | <u>L70</u> |
| <u>L69</u> | level near (1 or 2) with initiatization | 0 | <u>L69</u> |
| <u>L68</u> | level near 2 near initiatization | 0 | <u>L68</u> |
| <u>L67</u> | (pointer or handle) near device adj control adj block | 4 | <u>L67</u> |
| <u>L66</u> | L64 and L65 | 57 | <u>L66</u> |
| <u>L65</u> | (configuration or ini or initializ\$4) near (data or file) | 66445 | <u>L65</u> |
| <u>L64</u> | device adj control adj block | 457 | <u>L64</u> |
| <u>L63</u> | L58 and L62 | 0 | <u>L63</u> |
| <u>L62</u> | L59 and L61 | 47 | <u>L62</u> |
| <u>L61</u> | (reset or write or read) near pointer | 11221 | <u>L61</u> |
| <u>L60</u> | L58 and L59 | 0 | <u>L60</u> |
| <u>L59</u> | (open or close) near channel | 50793 | <u>L59</u> |
| <u>L58</u> | control near block with (configuration or ini or initializ\$4) near (data or file) | 158 | <u>L58</u> |
| <u>L57</u> | control near block with (handler or pointer) near (configuration or ini or initializ\$4) near (data or file) | 4 | <u>L57</u> |
| <u>L56</u> | L43 and L55 | 4 | <u>L56</u> |
| <u>L55</u> | pointer with ((device or driver) near table) | 124 | <u>L55</u> |
| <u>L54</u> | pointer with ((command near control) near table) | 4 | <u>L54</u> |
| <u>L53</u> | pointer near ((command near control) near table) | 1 | <u>L53</u> |
| <u>L52</u> | L45 and L51 | 1 | <u>L52</u> |
| <u>L51</u> | pointer near ((command or control) near table) | 94 | <u>L51</u> |
| <u>L50</u> | ((device or driver) near table with (command near (table or id or identifier))) | 39 | <u>L50</u> |
| <u>L49</u> | function near pointer and command near (id or identifier) | 48 | <u>L49</u> |
| <u>L48</u> | L43 and L47 | 8 | <u>L48</u> |
| <u>L47</u> | ((command or control) near table) with driver | 313 | <u>L47</u> |
| <u>L46</u> | L38 and L45 | 59 | <u>L46</u> |
| <u>L45</u> | (device or driver) near table | 12957 | <u>L45</u> |

| <u>L44</u> | L38 and L43 | 81 | <u>L44</u> |
|------------|---|--------|------------|
| <u>L43</u> | command near (id or identifier) | 4042 | <u>L43</u> |
| <u>L42</u> | L38 and L41 | . 1 | <u>L42</u> |
| <u>L41</u> | pointer with ((ini or initializ\$4) near file) | 61 | <u>L41</u> |
| <u>L40</u> | pointer with ((ini or initializ\$4) near file) | 61 | <u>L40</u> |
| <u>L39</u> | pointer near ((ini or initializ\$4) near file) | 18 | <u>L39</u> |
| <u>L38</u> | pointer with ((command or control) near table) | 701 | <u>L38</u> |
| DB=2 | TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR | | |
| <u>L37</u> | LEE-HYONG-KYUN! | 2 | <u>L37</u> |
| DB=I | PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR | | |
| <u>L36</u> | 6282586.pn. | 2 | <u>L36</u> |
| DB = J | IPAB; $PLUR=YES$; $OP=OR$ | | |
| <u>L35</u> | 8272717 | 0 | <u>L35</u> |
| DB=I | PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR | | |
| <u>L34</u> | (atapi or ide) and ((id or identif\$6) near (request or query or command)) with (conver\$4 or translat\$3) | 45 | <u>L34</u> |
| <u>L33</u> | (atapi or ide) same (id or identif\$6) near (request or query or command) | 55 | <u>L33</u> |
| <u>L32</u> | (atapi or ide) with (id or identif\$6) near (request or query or command) | 28 | <u>L32</u> |
| <u>L31</u> | @pd<20020808 and L30 | 78 | <u>L31</u> |
| <u>L30</u> | L28 and L29 | 205 | <u>L30</u> |
| <u>L29</u> | (client or application or host) near (request or command or query) | 83856 | <u>L29</u> |
| <u>L28</u> | device near initializ\$5 same (device adj handler or (identif\$6 or id) or ((standard\$4 or common) near format)) | 825 | <u>L28</u> |
| <u>L27</u> | bridge adj driver and ((device near (id or identif\$6)) or (parameter near (information or data))) | 32 | <u>L27</u> |
| <u>L26</u> | bridge adj driver same ((device near (id or identif\$6)) or (parameter near (information or data))) | 4 | <u>L26</u> |
| <u>L25</u> | ide/atapi and parameter near (information or data) | 5 | <u>L25</u> |
| <u>L24</u> | L16 and L23 | 131 | <u>L24</u> |
| <u>L23</u> | ((device or handler) near (id or identif\$5)) with format | 879 | <u>L23</u> |
| <u>L22</u> | generat\$3 with ((device or handler) near (id or identif\$5)) with format | 91 | <u>L22</u> |
| <u>L21</u> | generat\$3 with ((device or handler) near (id or identif\$5))near format | 3 | <u>L21</u> |
| <u>L20</u> | (standardiz\$5 or common or generic\$4) near format and L19 | 5 | <u>L20</u> |
| <u>L19</u> | generat\$3 near ((device or handler) near (id or identif\$5)) | 505 | <u>L19</u> |
| <u>L18</u> | (standardiz\$5 or common or generic\$4) near format and L17 | 53 | <u>L18</u> |
| <u>L17</u> | L15 and L16 | 736 | <u>L17</u> |
| <u>L16</u> | (detect\$3 or inser\$4 or hot\$1swap\$4 or iinitializ\$5) near device | 325260 | <u>L16</u> |
| <u>L15</u> | generat\$3 with ((device or handler) near (id or identif\$5)) | 4181 | <u>L15</u> |
| <u>L14</u> | L12 and L13 | 95 | <u>L14</u> |
| <u>L13</u> | (error or fault or fail\$3 or problem)near (request or query or command) | 14148 | <u>L13</u> |
| <u>L12</u> | L10 and L11 | 507 | <u>L12</u> |
| <u>L11</u> | (generic\$4 or translat\$3 or conver\$4 or ((standard\$4 or common) near | 26599 | <u>L11</u> |

| | format)) near (request or query or command) | | |
|------------|---|-------|------------|
| <u>L10</u> | device with (id or identif\$6) near (request or command or query or instruction) | 5509 | <u>L10</u> |
| <u>L9</u> | L4 and L8 | 191 | <u>L9</u> |
| <u>L8</u> | (reply or response or result) with (control near (command or request or query)) | 16380 | <u>L8</u> |
| <u>L7</u> | L4 and L6 | 303 | <u>L7</u> |
| <u>L6</u> | (reply or response or result) same (control near (command or request or query)) | 27202 | <u>L6</u> |
| <u>L5</u> | device with (initializ\$5 or hot\$1swap\$\$ or detect\$3) and L4 | 157 | <u>L5</u> |
| <u>L4</u> | L2 and L3 | 762 | <u>L4</u> |
| <u>L3</u> | (control near (command or request or query)) same driver | 5413 | <u>L3</u> |
| <u>L2</u> | (((standard\$4 or common) near format) or conver\$4 or translat\$3) with (control near (command or request or query)) | 6627 | <u>L2</u> |
| L1 | 6697884.pn. | 2 | L1 |

END OF SEARCH HISTORY